

Morgan, Lewis & Bockius LLP  
 2 Palo Alto Square  
 3000 El Camino Real, Suite 700  
 Palo Alto, California 94306  
 TEL: 650.843.4000  
 FAX: 650.843.4001  
 www.morganlewis.com

**Morgan Lewis**  
 COUNSELORS AT LAW

**RECEIVED**  
**CENTRAL FAX CENTER**

**JUN 02 2006**

**TO**

Name: Firm: United States Patent and Trademark Office  
 FAX Number: 571 273 8300 Telephone Number:

**FROM**

Name: Judi Stillwell Date Sent: June 2, 2006  
 FAX Number: 650 843 4001 Telephone Number: 415-442-1748  
 Client / Matter No. 064881-5006 Number of Pages: 3  
 (including cover page)  
 Operator Sending: Floor: 28

**FAX MESSAGE**

THE INFORMATION CONTAINED IN THIS FAX MESSAGE IS INTENDED ONLY FOR THE PERSONAL AND CONFIDENTIAL USE OF THE NAMED RECIPIENT(S). THIS MESSAGE MAY BE AN ATTORNEY-CLIENT COMMUNICATION AND AS SUCH IS PRIVILEGED AND CONFIDENTIAL. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT OR AN AGENT RESPONSIBLE FOR DELIVERING IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT YOU HAVE RECEIVED THIS DOCUMENT IN ERROR AND THAT ANY REVIEW, DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS MESSAGE IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US BY MAIL. THANK YOU.


**COMMENTS**

Application of	Robert K. DiNello et al.	Confirmation No.	7040
Serial Number:	09/823,868	Group Art Unit	1641
Filed:	March 30, 2001	Examiner	B. T. Nguyen
Patent Number:	6,767,710		
Issued:	July 27, 2004	Attorney Docket No.	64881-5006US
Title:	Prewetting Stop Flow Test Strip		

Enclosed is:

- (1) Request for Withdrawal as Attorney or Agent and Change of Address (2 pg.)

I certify that this paper is being filed with the U.S. Patent and Trademark Office by facsimile transmission on June 2, 2006 facsimile number (571) 273-8300.

Signature: RECEIVED  
CENTRAL FAX CENTER

JUN 02 2006

## UNITED STATES PATENT AND TRADEMARK OFFICE

Application of	Robert K. DiNello et al.	Confirmation No.	7040
Serial Number:	09/823,868	Group Art Unit	1641
Filed:	March 30, 2001	Examiner	B. T. Nguyen
Patent Number:	6,767,710		
Issued:	July 27, 2004	Attorney Docket No.	64881-5006US
Title:	Prewetting Stop Flow Test Strip		

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR WITHDRAWAL AS ATTORNEY  
OR AGENT AND CHANGE OF ADDRESS**

I hereby apply to withdraw as attorney or agent for the above-identified patent application. I am signing on behalf of the other attorneys and agents listed under customer number 43850.

This request for withdrawal and change of address is submitted pursuant to our client's instructions to transfer the file to new counsel (copy enclosed for reference). Please change the correspondence address and direct all future correspondence to:


Nan Wu  
Cooley Godward LLP  
101 California Street, 5th Floor  
San Francisco, CA 94111-5800  
United States of America

Applicant's attorney believes no fee is due for this submission, however, the Commissioner is authorized to charge any requisite fee to Morgan, Lewis & Bockius LLP Deposit Account No. 50-0310 (order no. 064881-5006-US).

Date: June 2, 2006

MORGAN, LEWIS & BOCKIUS LLP  
2 Palo Alto Square  
3000 El Camino Real  
Palo Alto, California 94306  
Tel: (650) 843 4000  
Fax: (650) 843 4001

Respectfully submitted,



Jeffry S. Mann  
Reg. No. 42,837

05/25/2006 22:10 14153440212

RUTTER

PAGE 01

**ReLIA**<sup>TM</sup>  
DIAGNOSTIC SYSTEMS

442-1001

RECEIVED  
CENTRAL FAX CENTER

JUN 02 2006

May 17, 2006

MORGAN LEWIS  
One Market  
Spear Street Tower  
San Francisco, CA 94105

Attention: Jeffry S. Mann

RE: TRANSFER OF FILES TO COOLEY GODWARD LLP

Dear Jeff:

As you know, we have decided to retain Cooley Godward LLP as our legal counsel. This letter is to request and authorize you to deliver as soon as possible all records, files and similar material relating to RELIA DIAGNOSTIC SYSTEMS that you or your firm may have including electronic copies of patent applications, claims and any other documents to:

Cooley Godward LLP  
The Bowen Building  
875 15<sup>th</sup> Street NW, Suite 800  
Washington, DC 20005-2221  
Attention: Ms. Gale Cummings

In addition, please contact any and all foreign associates currently handling RELIA cases and request them to communicate directly with Nan Wu at the following address:

Nan Wu, M.D., Ph.D., J.D.  
Cooley Godward LLP - 101 California Street - 5th Floor  
San Francisco, CA 94111-5800  
Direct: 415-693-2002 - Fax: 415-693-2222 - Cell: 415-216-7624

Thank you in advance for your immediate attention to this matter.

Very truly yours,

RELIA DIAGNOSTIC SYSTEMS

By   
Jimmy Zhang, Ph.D.

cc: Nan Wu, M.D., Ph.D., J.D.

One Market, Suite 1475, Stewart Tower, San Francisco, CA 94105  
Tel: 415-344-0844  
Fax: 415-344-0232883-B Mitten Road, Burlingame, CA 94010  
Tel: 650-259-5027  
Fax: 650-259-5022